

Interferenced Searched
3/21/2006
mck

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L35	1409	(711/144,145).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/03/21 12:23
L36	1	(cach\$3 AND (memory near3 line\$2) AND local\$2 AND (table near3 entr\$3) AND (first near3 count\$2) AND (second near3 count\$2) AND (tag near3 director\$3) AND node\$1).clm. AND L35	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/03/21 12:27

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12 2	145213	@pd>"20051118"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 16:07
S12 3	1118	(711/141).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/03/20 16:07
S12 4	1407	((711/144) or (711/145)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/03/20 16:07
S12 5	242	(coherency OR consistency OR currency) near1 controller	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 16:07
S12 6	53	S125 AND (S123 OR S124)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 16:07
S12 7	2	S126 AND S122	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 16:13
S12 8	1463	NUMA OR (Non ADJ Uniform ADJ Memory ADJ Access)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 16:13
S12 9	164	((cach\$3 near3 (coherency OR consistency OR currency)) near5 S128) OR ccNUMA	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 16:13
S13 0	49	S129 AND (S123 OR S124)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 16:13
S13 1	3	S130 AND S122	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 16:21
S13 2	2452682	director\$3 OR table\$1 OR index\$3 OR list\$3 OR chart\$3 OR record\$3 OR register\$3 OR catalog\$1 OR docket\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 16:21
S13 3	41354	(tag\$1 OR flag\$1) near4 S132	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 16:21
S13 4	2604	S133 WITH ((access\$3 OR availabl\$3 OR use OR active OR activat\$3 OR cach\$3 OR dirty OR status) near3 (information OR info OR data OR status))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 16:21
S13 5	218	S134 AND (S123 OR S124)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 16:21

EAST Search History

S13 6	23	S135 AND S128	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 16:21
S13 7	3	S136 AND S122	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:01
S13 8	2641741	director\$3 OR table\$1 OR index\$3 OR list\$3 OR chart\$3 OR record\$3 OR register\$3 OR catalog\$1 OR docket\$1 OR array\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:01
S13 9	423	local\$2 near5 ((tag\$1 OR flag\$1) near3 S138)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:01
S14 0	6073	local near4 ((memory OR data OR datum) near3 (line\$1 OR block\$1 OR word\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:01
S14 1	6	(S139 SAME S140)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:01
S14 2	0	S141 AND S122	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:01
S14 3	142999	(coherency OR consistency OR currency)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:04
S14 4	6	(S139 SAME S143)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:04
S14 5	0	S144 AND S122	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:05
S14 6	43183	local\$2 near5 (S138)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:05
S14 7	27	(S146 SAME S140) SAME S143	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:05
S14 8	1	S147 AND S122	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:08
S14 9	2514	((711/141) or (711/144) or (711/145) or (711/146)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/03/20 17:09
S15 0	1928	((711/147) or (711/148) or (711/152)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/03/20 17:09

EAST Search History

S15 1	1019	((711/120) or (711/119) or (711/130)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/03/20 17:09
S15 2	87450	local\$2 near4 (data OR datum OR entr\$3 OR line\$1 OR block\$1 OR word\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:09
S15 3	97729	(local\$2 OR internal\$2) near5 (director\$3 OR table\$1 OR index\$3 OR list\$3 OR chart\$3 OR record\$3 OR register\$3 OR catalog\$1 OR docket\$1 OR array\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:09
S15 4	97995	(global\$2 OR external\$2 OR remote\$2) near5 (director\$3 OR table\$1 OR index\$3 OR list\$3 OR chart\$3 OR record\$3 OR register\$3 OR catalog\$1 OR docket\$1 OR array\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:09
S15 5	1612	(S153 SAME S152) SAME S154	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:09
S15 6	74	S155 AND S149	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:09
S15 7	51	S155 AND S150	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:09
S15 8	34	S155 AND S151	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:09
S15 9	2	(S156 OR S157 OR S158) AND S122	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:12
S16 0	201	((control\$4 near4 S153) SAME S152) SAME S154	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:12
S16 1	18	S160 AND S149	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:12
S16 2	11	S160 AND S150	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:12
S16 3	13	S160 AND S151	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:12
S16 4	0	(S161 OR S162 OR S163) AND S122	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:13

EAST Search History

S16 5	6293	("not" near3 (cach\$3 OR dirty OR modif\$3 OR chang\$3)) OR MSI OR MESI OR MOESI	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:13
S16 6	11	(S153 SAME S165) AND S154	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:13
S16 7	0	S166 AND S122	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:13
S16 8	3178286	((cach\$3 OR dirty OR modif\$3 OR chang\$3)) OR MSI OR MESI OR MOESI	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:13
S16 9	80	((control\$4 near4 S153) near5 S168) SAME S154	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:13
S17 0	17	S169 AND S149	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:13
S17 1	0	S170 AND S122	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:14
S17 2	1533664	(Application ADJ Specific ADJ Integrated ADJ Circuit\$1) OR ASIC\$1 OR FPD\$1 OR SPLD\$1 OR CPLD\$1 OR FPGA\$1 OR PLA\$1 OR PAL\$1 OR GAL\$1 OR PROM\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:14
S17 3	23576	control\$3 near2 S172	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:14
S17 4	2514	((711/141) or (711/144) or (711/145) or (711/146)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/03/20 17:14
S17 5	58	S173 AND S174	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:14
S17 6	3	S175 AND S122	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:15
S17 7	1928	((711/147) or (711/148) or (711/152)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/03/20 17:15
S17 8	557500	(counter\$1 OR CNT OR CNTs)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:15

EAST Search History

S17 9	97729	(local\$2 OR internal\$2) near5 (director\$3 OR table\$1 OR index\$3 OR list\$3 OR chart\$3 OR record\$3 OR register\$3 OR catalog\$1 OR docket\$1 OR array\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:15
S18 0	2613	S178 near7 S179	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:15
S18 1	1	S180 AND S174 AND S177	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:15
S18 2	0	S181 AND S122	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/20 17:15
S18 3	2522	((711/141) or (711/144) or (711/145) or (711/146)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/03/21 09:33
S18 4	1934	((711/147) or (711/148) or (711/152)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/03/21 09:33
S18 5	557984	(counter\$1 OR CNT OR CNTs)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:33
S18 6	97861	(local\$2 OR internal\$2) near5 (director\$3 OR table\$1 OR index\$3 OR list\$3 OR chart\$3 OR record\$3 OR register\$3 OR catalog\$1 OR docket\$1 OR array\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:33
S18 7	2615	S185 near7 S186	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:33
S18 8	29	S187 AND (S183 OR S184)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:33
S18 9	149446	@pd>"20051118"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:33
S19 0	1	S188 AND S189	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:36
S19 1	409	(number\$3 OR value\$1 OR amount\$1 OR quantit\$3 OR count\$3 OR tally\$1) near4 (cach\$3 near4 (node\$1 OR cluster\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:36
S19 2	21	S191 AND (S183 AND S184)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:36

EAST Search History

S19 3	1	S192 AND S189	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:37
S19 4	14217	(cach\$3 near4 ((other OR different OR separate OR another OR additional OR separate OR distinct OR distant)(node\$1 OR cluster\$1)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:37
S19 5	388	S194 SAME S186	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:37
S19 6	18	S195 AND S183 AND S184	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:37
S19 7	0	S196 AND S189	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:38
S19 8	48	((counter\$1 OR count\$3 OR CNT OR CNTs) near4 cach\$3) SAME S186	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:38
S19 9	3	S198 AND S189	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:51
S20 0	46	(number\$3 OR value\$1 OR amount\$1 OR quantit\$3 OR count\$3 OR tally\$1) near4 (cach\$3 near4 (data OR datum OR entr\$3 OR line\$1 OR block\$1 OR word\$1)) near4 S186	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:51
S20 1	1	S200 AND S189	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:52
S20 2	295	(cach\$3 near4 ((other OR different OR separate OR another OR additional OR separate OR distinct OR distant) near4 (node\$1 OR cluster\$1)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:52
S20 3	6	S202 SAME S186	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:52
S20 4	0	S203 AND S189	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:53
S20 5	457	(cach\$3 near4 ((external\$2 OR remot\$2) near4 (node\$1 OR cluster\$1)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:53
S20 6	58	S205 SAME S186	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:53

EAST Search History

S20 7	1	S206 AND S189	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:53
S20 8	1	((((number\$3 OR value\$1 OR amount\$1 OR quantit\$3 OR count\$3 OR tally\$1) near4 cach\$3) SAME ((external\$2 OR remot\$2) near4 (node\$1 OR cluster\$1))) SAME S186	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:53
S20 9	0	S208 AND S189	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 09:53

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	9279	(coherency near3 controll\$3) OR ((cache OR memory) near3 (coherenc\$1 OR consisten\$2))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 10:36
L18	286872	(count\$3 OR number\$1 OR tall\$3) WITH (node\$1 OR cluster\$1 OR computer\$1 OR server\$1 or processor\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 10:42
L19	186302	(count\$3 OR number\$1 OR tall\$3) near5 (node\$1 OR cluster\$1 OR computer\$1 OR server\$1 or processor\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 10:56
L20	113	L19 near5 L17	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 10:43
L21	1123	(711/141).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/03/21 10:43
L22	1409	((711/144) or (711/145)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/03/21 10:52
L23	1243	((711/146) or (711/120) or (711/130)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/03/21 10:43
L24	62	L20 AND (L21 OR L22 OR L23)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 10:43
L25	39	L20 AND (L21)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 10:52
L26	1851	(711/144-146).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/03/21 10:55
L27	22	L20 AND L26 NOT L25	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 10:52
L28	655	L17 SAME L19	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 10:57
L29	2522	(711/141,144-146).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/03/21 10:55
L30	232	L28 AND L29 NOT (L25 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/03/21 10:57

EAST Search History

L31	36908	(count\$3 OR tall\$3) near5 (node\$1 OR cluster\$1 OR computer\$1 OR server\$1 or processor\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 10:56
L32	56	L17 SAME L31	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/03/21 10:57
L33	7	L32 AND L29 NOT (L25 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/03/21 10:59
L34	49	L32 NOT L33	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/03/21 10:59